

# REMOVE & RECOMPACT

JOB ADDRESS: \_\_\_\_\_

\_\_\_\_\_

APN: \_\_\_\_\_

OWNER: \_\_\_\_\_

SOILS REPORT PREPARED BY: \_\_\_\_\_

DATED: \_\_\_\_\_

PROJECT NUMBER: \_\_\_\_\_

## SITE PREPARATIONS PER THE SOILS ENGINEERING REPORT

DIMENSIONS: \_\_\_\_\_ DEPTH: \_\_\_\_\_

BUILDING OFFSETS: \_\_\_\_\_

## EARTHWORK QUANTITIES (ESTIMATED C.Y.)

EXCAVATED: \_\_\_\_\_ FILL: \_\_\_\_\_

IMPORT: \_\_\_\_\_ EXPORT: \_\_\_\_\_

SOURCE/DISPOSAL SITE LOCATION: \_\_\_\_\_

NOTE: ALL RECOMMENDATIONS MADE BY THE SOILS ENGINEER (AND ENGINEERING GEOLOGIST, WHERE EMPLOYED) CONTAINED IN THE REPORTS AS APPROVED OR CONDITIONED BY THE COUNTY SHALL BE A PART OF THIS GRADING PLAN.

## CONSTRUCTION NOTES

1. A PRE-CONSTRUCTION MEETING SHALL BE HELD AT THE SITE PRIOR TO ANY GRADING ACTIVITY OR LAND DISTURBANCES WITH THE FOLLOWING PARTIES PRESENT: OWNER, GRADING CONTRACTOR, DESIGN CIVIL ENGINEER, SOILS ENGINEER, COUNTY GRADING INSPECTOR(S), AND OTHER JURISDICTIONAL AGENCIES WHEN REQUIRED.
2. HEAVY EQUIPMENT NOISE & TRUCK DELIVERIES SHALL NOT BEGIN UNTIL AFTER 7:00 A.M AND SHALL END BY 7:00 P.M. NO WORK BEYOND 4:30 PM UNLESS APPROVED BY PWA.
3. NO GRADING ACTIVITY SHALL OCCUR IN ANY WETLAND, BLUE-LINE STREAM, RED-LINE CHANNEL, DRAINAGE COURSE, OR FLOODPLAIN WITHOUT THE PROPER PERMITS & PERMISSION FROM THE PWA & RESOURCE MANAGEMENT AGENCY (RMA), OR OTHER AUTHORITIES HAVING JURISDICTION.
4. RETAINING WALLS AND BRIDGES REQUIRE A SEPARATE PERMIT FROM BUILDING AND SAFETY.
5. ENCROACHMENT PERMITS MAY BE REQUIRED. PLEASE CONTACT VCPWA TRANSPORTATION DEPARTMENT TO OBTAIN ANY NECESSARY PERMITS.
6. ALL AREAS TO RECEIVE FILL SHALL BE INSPECTED AND APPROVED BY THE SOILS ENGINEER (AND ENGINEERING GEOLOGIST WHERE EMPLOYED) AFTER REMOVAL OF UNSUITABLE MATERIAL AND EXCAVATION OF KEYWAYS AND BENCHES PRIOR TO PLACEMENT OF SUBSURFACE DRAINAGE SYSTEMS OR FILL.
7. THE SOILS ENGINEER SHALL DIRECT THE REMOVAL OF ANY EXISTING UNDERGROUND STRUCTURES SUCH AS SEPTIC TANKS, IRRIGATION LINES, ETC.
8. THE USE OF CORRUGATED STEEL PIPE IS NOT ALLOWED IN ANY COUNTY RIGHTS OF WAY. THE USE OF CORRUGATED STEEL PIPE ON PRIVATE PROPERTY SHOULD BE MINIMIZED. HOWEVER, IF USED SHOULD BE COATED TO MINIMIZE CORROSION AND TO EXTEND SERVICE TIME.
9. THE TRUNK LOCATION OF ALL TREES WITHIN THE AREA OF GRADING (INCLUDING ACCESS ROADS AND STORAGE AREAS) SHALL BE SHOWN. SHOW THE APPROXIMATE OUTLINE OF ALL TREE CANOPIES WITH TRUNKS OUTSIDE THE GRADING AREA THAT ARE WITHIN 50' OF THE LIMITS OF GRADING, INCLUDING CANOPIES OF TREES GROWING ON ADJACENT PARCEL(S). CONTACT PLANNING DIV. FOR TREE PERMIT INFORMATION INCLUDING A LIST OF PROTECTED TREES & REQUIRED SETBACKS

GRADING / SITE PLAN

GP \_\_\_\_\_